

# Benefits and hazards of electromagnetic waves, telecommunication, physical and biomedical: a review

S. BATOOL<sup>1</sup>, A. BIBI<sup>2</sup>, F. FREZZA<sup>1</sup>, F. MANGINI<sup>3</sup>

<sup>1</sup>Department of Information Engineering, Electronics and Telecommunications, Sapienza University of Rome, Rome, Italy

<sup>2</sup>Department of Biochemical Sciences, School of Molecular Biology and Medicine, Sapienza University of Rome, Rome, Italy

<sup>3</sup>Santa Lucia Foundation, IRCCS Neuroimage Laboratory, Rome, Italy

**Abstract. – OBJECTIVE:** The aim of this paper is to review the current literature on electromagnetic radiation (EMR): physical, biophysical, and telecommunication. The widespread application of EMR in modern technologies requires telecommunication and healthcare professionals to possess some knowledge of its physical and biological properties. In this review article, we will discuss biophysical principles of EMR, its interactions with living organisms and its application in clinical practices. We will discuss here beneficial as well as hazardous effects of EMR. We will also discuss the safety guidelines.

## Key Words

Electromagnetic radiation, Wi-Fi, Mobile phone, Microwave, Computer, FM towers, Magnetic resonance imaging, X-ray computed tomography (CT), Chemotherapy.

## Introduction

### *Electromagnetic Radiations*

Radiations consist of both electric and magnetic fields. They are coming from natural and man-made resources. EMR is present in some scenario of everyone's life<sup>1</sup>. Some of the most common sources of electromagnetic fields that everybody experiences are the solar radiation, the electric current that supplies household (Mobile Phone, Television set, Wi-Fi, Microwave, Computer, etc.) and antennas for telecommunications<sup>2-8</sup>. Artificial resources are used to generate high-level electromagnetic radiations which may be typically found in medical devices such as Magnetic Resonance Imaging (MRI), laser lithotripsy, X-ray Computed Tomography (CT), radiation

therapy, chemotherapy, immunotherapy, Positron Emission Tomography (PET) etc. In a residential environment, the diffusion of the induction cooktop, hairdryers, cordless phones, modems, routers, appliances, alarm system, etc. increases the possibility of domestic exposure to magnetic fields. Nevertheless, electromagnetic fields can also be used for the treatment of different diseases (e.g., cancer, kidney stones, gallstones, brain, liver etc.)<sup>9-13</sup>. The practicality of above-described technologies is due to the range of frequencies decreasing from ultra-high frequencies to extra low frequencies available in the electromagnetic spectrum. This EMR spectrum includes ionizing and non-ionizing radiations. Figure 1 shows EMR spectrum signifying frequency range of Ionizing and Non-Ionizing radiations.

### *Electromagnetic Radiation Spectrum (Ionization and Non-Ionization)*

The EMR spectrum is widely used in different areas of science and technology. EMR can be broadly divided into two categories: ionization and non-ionization. Ionizing radiation has high energy as compare to non-ionizing radiations. The ionizing radiations have a frequency ranging from 1 PHz (petahertz) to 10 ZHz (zettahertz), which includes X-rays and Gamma rays. The non-ionizing radiations have a frequency ranging from 1 to 1000's of THz (terahertz). It consists of Microwave (MW), Infrared (IR), Visible Light (VL) and Ultra-Violet light (UV) extremely low-frequency radiation (ELF). Ionization radiation has the capacity to cause changes in the structure of atoms or molecules by ionization, so that's why ionizing radiation can cause damage to living atoms/molecules and also have the tendency to cause changes in the structure of DNA in the living organism<sup>14</sup>.

**Benefits and Hazards of Electromagnetic Radiation in the Field of Physical Health and in the Telecommunication Sector**

The telecommunication devices (Mobile Phone, Wi-Fi, Computer, Television, etc.) have proved to be revolutionary effects in terms of communication with anywhere and anytime in the whole world, but it is mostly accompanied with the EMR hazards. The human body has the ability to absorb these radiations might be harmful and can cause even different disease like cancers, mental disorders, neurologic illnesses, fetal abnormalities, cardiovascular diseases etc.<sup>15</sup>. EMR has very beneficial uses of our daily life to make it more comfortable and easier. Nowadays, we can talk to anyone on a mobile phone through the Internet: it is because of EMR, since these waves can transmit signals for very long distances. So EMR has the key roles in making our lives more comfortable.

**Mobile Phones**

In the present era, the mobile phone has played a vital role in our daily life activities. Recently mobile phone is an integral part of business, commerce, studies, and society. Mobile phones are very useful for quick information exchange and an important tool in emergency situations. People use their mobile phones for various purposes such as:

1. Text messaging
2. Photography or taking pictures
3. Making videos, Sending photos via Bluetooth
4. Accessing the internet, sending or receiving emails
5. Playing video games
6. Listening music
7. Recording video
8. Downloading various applications such as WhatsApp Messenger, WeChat, Viber Messenger, imo free video calls and chat etc.
9. Using social networking site like Facebook, Twitter, Skype-free IM and video calls etc.
10. Online banking and business management
11. Video call or video chat.

This work concluded that a mobile phone is necessary for college students to keep in contact with their families and friends.

The main objective of this study is to describe the answer to the following two questions:

1. May the excessive use of mobile phones in the vicinity or near the human body cause many harmful diseases?
2. How can mobile phone subscriber minimize the risks associated with its exposure?

This paper will attempt to answer this question, but conclusions are rarely definitive. The objective of the present report is to explore the association of using mobile phones with health hazards<sup>16-18</sup> such as:




Figure 1. The Electromagnetic Spectrum.

1. Fatigue
2. Headache
3. Dizziness
4. Tension
5. Sleep disturbance

It is the cause of hippocampal lipidome as proved by the experiment on a mouse<sup>19-21</sup>. It disturbs our brain and central nervous system, leading to memory loss<sup>22</sup>. The excessive use of mobile phones can cause vision and hearing symptoms in the population and also leads to an increase in social awareness of health associative problems<sup>23</sup>. The present review literature was designed to investigate whether the symptoms of health diseases reported by young people may be linked with the use of mobile phone and to analyze its effects on young people health<sup>24</sup>. In the present paper, we have mentioned some precautionary approaches to minimize the health risks associated with mobile phone exposure. Our suggestions are to minimize the time per day spent on mobile phone calls, refrain the use of the mobile phone when its signal coverage is weak, and avoid the use of mobile phone close to our body<sup>25</sup>.

#### **Wi-Fi**

The present report investigated the effects of EMR induced by Wi-Fi have many benefits and adverse effects. Wi-Fi LANs allow fast network information, also beneficial in reducing the cost for wiring installation and to give industrial subscribers more flexibility anywhere at any place, whenever they want to do work. Home subscribers also want to abstain installing wiring process. Wireless Internet routers or Wi-Fi modems use possibly dangerous electromagnetic radiation to send their signals to your computer through walls. If you have a wireless Internet router set up in your home or office, you will be exposure to EMR. Wireless access to the Internet is now commonly used in schools/colleges. Many schools/colleges provide laptop to each student with Wi-Fi connection, which is utilized for training and educational purpose<sup>26</sup>. In the literature, many experiments on rats by using Wi-Fi signal are reported. The main objective of these experiments is to identify the changes in the rat after the exposure of EMR with different frequency ranges. The effects of long-term exposure to Wi-Fi type radio frequency (RF) signals (2.40 GHz), two hours per day during one month at a specific absorption rate (SAR) of 1.60 W/kg may cause Alzheimer's disease<sup>27</sup>. It may also cause some

oxidative stress parameters in rat kidney<sup>28</sup>. The exposure of EMR (2.45 GHz) may cause many changes in the rat brain and expression of fall in brain antioxidants<sup>29</sup>. Avendano et al<sup>5</sup> reported that wireless connected laptop on the lap near the testes may have effects on male fertility and increased DNA fragmentation.

#### **Microwaves**

Our main objective is to investigate the effects of EMR from microwave ovens to the health of the people coming across its use. Most of the people believe that microwave ovens may cause diseases such as cancer and the food prepared by them becomes harmful. But there is no scientific experimental evidence. EMR from microwave oven has the capability to penetrate in many things like water, ice, smog. It affects the nutrient capability of vegetables making them unhealthy for human use, such as it destroys the anti-cancer ability of different vegetables like garlic as demonstrated in several studies to describe the effects of microwave oven heating destroyed garlic anti-carcinogenesis property, which is related with active allyl sulfur compounds<sup>30</sup>. The long terms exposure of low-frequency EMR from home appliances can cause health problem such as<sup>14</sup>:

1. Hyperactivity
2. Sleep disorder
3. Emotional instability

#### **TV, Cell Phone and FM Towers**

In the recent past, long-term exposure of EMR from Cell phone towers, TV and FM towers have caused serious health problems<sup>31</sup>. Hocking et al<sup>32</sup> in Australia reported that the incidence of leukemia, tumors, and cancer was more in the people residing near to TV, cell phone and FM towers, while those who were residing far away from the towers found fewer chances of diseases in them. But he found that the children were getting many severe effects of leukemia, tumors diseases rather than adults living in the same areas. Cooper et al<sup>33</sup> collected cancer data from the years 1987-1994 which were investigated from the West Midlands Cancer Intelligence Unit database (Birmingham, England). They studied all types of cancer; for each of them, 10 bands of males, females and adults were selected. A number of leukemia cases were calculated for all of these members on the basis of sex, social issues. This research gives evidence from stone's test showing more risk of leukemia in females/children as compared to males.

It is reported in the literature that people living near antennas were suffering from a high risk of diseases such as<sup>34</sup>:

1. Cardiovascular problems
2. Skin diseases
3. Irritability
4. Visual disruptions
5. Hearing problems
6. Depression

Dianah et al<sup>35</sup> in Kaula Nerus described the enhancement of rapid growing telecommunication technology by installing many TV, cell phone and FM towers as a first step to help in the advancement of growing global technologies. The EMR exposure level was investigated using spectrum analyzer through a Circular Patch (CP) antenna. They used a spatial model to evaluate their data and results and stated that this model can help in exploring the clear vision of EMR health risks. The EMR effects on human body cells act by removing calcium ions. Calcium ions leakage from brain cells and other parts of the body can cause pain and other diseases in the human body<sup>36</sup>.

#### ***EMR Effect on Biotic Systems***

EMR from TV, cell phone and FM towers affects the biotic system such as animals, birds, plant, etc. EMR effects are relatively larger in flying birds, sparrows, pigeons and bees in comparison with humans. The reason is that the overall body structure of bird is small having less weight. They get heated up very frequent and these radiations can cause adverse effects on their navigational system. Some effects are given in the next section.

#### ***Effect on Honey Bees***

Taye et al<sup>37</sup> reported the adverse effects of EMR on honey bee colonies near to the cell phone towers. In the US, the increasing influence of EMR pollution associated with the sudden loss of bees was observed a few years back. This type of honey bee's loss is known as colony collapse disorder (CCD), where bees cannot detect the right way to find the hive due to the consistent EMR pollution. CCD has spread in many developing countries like England, Spain Germany and Italy<sup>38</sup>.

#### ***Effect on Birds***

When migratory birds come in direct contact with EMR from TV, cell phone and FM towers, they become entirely confused and disoriented from their right path and undetermined navigational abilities. The sense of direction of a large

number of migratory birds like sparrows, pigeons are destroyed due to the interference from mobile phone masts. Many species of birds die each year from the overlapping with TV, cell phone and FM towers all over the world during migration. For navigation, mostly birds might be likely adopting earth's magnetic field. Microwaves from communication resources could be seriously disorienting and these are the main cause of accidents occurring to birds during night-time. Dongre and Verma<sup>39</sup> have investigated the remarkable decline of house sparrow in London: a 75% fall since 1994.

#### ***Effect on Mammals and Amphibians***

Burchard et al<sup>40</sup> reported that the grazing of cows near to the TV, cell phone and FM towers having overall general health problems like defective embryos, birth deformities, and behavioral problems, meanwhile grazing of cows away from the towers have improved health. Moreover, exposure of EMR to dairy cows can cause the changing composition of milk, leading to a decrease in the production of milk and fertility problems. Similarly, long-term effects of EMR can also cause reproductive and developmental problems of domestic animals like dogs, cats, rabbits, etc. In the recent research conducted on bats colonies near the towers, they found conflicting behavioral changes in bats<sup>41</sup>. EMR from towers is a possible source of declining some amphibian populations. In a study conducted on amphibians they have found morphological abnormalities, increase in the heart rate, changes in blood count, allergies, etc<sup>42</sup>. Researchers also described the positive effects of EMR on mammals, like Cecconi et al<sup>43</sup> that suggested how low power EMR exposure may be used to improve the mammalian female reproductive system by controlling the follicles growth rate to proceed a developmental stage that is an important pre-requisite for reproductive achievement.

#### ***Effect on Plants***

Studies have shown the effects of cell phone EMR on growth and synthetically changes in plants. Alattar et al<sup>44</sup> reported characteristics of seeds by exposing radiation from Wi-Fi router. The experiment was accomplished by test seedling for four weeks. Finally, the research concluded that these radiations may cause many changes in the weight and growth of plants, thickness level of the stem, etc. The progressive decline of trees near to cell phone tower has also been reported. EMR can produce heat. Due to this heat,

the micro-organisms present in the upper surface of earth soil would be killed<sup>45</sup>. In the literature review, there are many advantages of EMR in the agriculture sector such that the use of EMR on rice plant in a microgravity environment can enhance the growth of plant rather than the normal growth<sup>46</sup>. Pietruszewski et al<sup>47</sup> described the tool of EMR stimulation on seed may increase the plant growth.

### ***Safety Guidelines in Telecommunication Sectors***

From a scientific point of view, long-term effects of EMR from telecommunication towers might be harmful to the human, birds, animal, and ecosystem. To reduce the long-term effects of EMR, some recommendations are suggested, such as: network operators must be instructed to apply reduced cumulative power density near to residential areas, school, hospital, office buildings, and visiting places. People should have knowledge of long-term effects of EMR hazards, so that they may have network issues (especially all those people, who are living far away from the cell tower) due to lower transmitted power, but it is for their overall health favor. Thus, the solution is to install several numbers of cell-phone, TV and FM towers with lower transmitted power. In this way, the power efficiency of the tower will be reduced. So that health heating effect will also be reduced<sup>48-50</sup>.

### ***Benefits and Hazards of EMR: Physical and Bio-Physical Cancer Treatment Techniques***

EMR associated with the study of nanotechnology, searching natural phenomena and its applications. Further progress of this area of expertise strongly affects both biomedical engineering and medicine. Magnetic nanoparticles are the most popular topics in life sciences and healthcare. Magnetic hyperthermia treatment is used to explore the highly effective carcinogenic cell destructions. Moreover, magnetic hyperthermia, which is based on magnetic nanoparticle to remotely, generates heat when EMR is applied. This hyperthermia heating technique is used for the treatment of cancer<sup>51</sup>. Recently, a significant progress has been made in the field of cancer treatment technique by using EMR. Treatment methods are based on radiation therapy, hormonal therapy, chemotherapy and immunotherapy<sup>52</sup>. UV radiations from the sun are harmful to our normal skin cells as well as these radiations are ben-

eficial to the destruction of cancer cells<sup>53</sup>. During the treatment of cancer patients, internal organs are visualized deeply by using (X-rays and gamma rays)<sup>54</sup>. Frequent use of these radiation therapies can also cause harmful effects on the human body. Long-term use of these examinations and treatment are associated with cancer risk in clinical practice. Peters et al<sup>55</sup> described the chemotherapy radiation treatment of women at high risk of recurrence cervical cancer after a few years.

### ***Disease Diagnoses with Imaging Techniques***

EMR is used in imaging studies like radiography, angiography, and computer tomography scanning. Wernick et al<sup>56</sup> reported that multiple image radiography technique is used for more accurate images of a biological specimen. In the present study concluded that angiography showed the clear vision of the blood vessels and the other organs of the body especially with the heart chamber, arteries, narrow veins, etc. X-ray computed tomography (CT) was the first modern imaging technology, introduced in 1972. It is used for imaging of the whole body in 5 to 20 minutes with a sub-millimeter isotropic resolution<sup>57-59</sup>. Phase contrast X-ray imaging is a remarkable technique for analyzing deep structure inside biological soft tissues. It is used for observing the three-dimensional structure of infected tissues<sup>56</sup>. Synchrotron radiation micro-tomography is used for the analysis of the composition and deep structure of all types of materials and biological specimens<sup>60</sup>. Magnetic resonance image (MRI) is a wonderful technique for taking detailed pictures inside the human body. It is used to diagnose different diseases and injuries inside the human body such as brain injury, spinal cord injury, and blood vessel damage, cancer cells, heart diseases, and blocked blood vessel. An electromagnetic actuator was designed for magnetic resonance electrography (MRE). The actuator is unique since it is simple, portable, and capable of brain, abdomen, and phantom images. The relatively easy setup procedure and simple design indicated that the actuator system had the potential to be applied in many different clinical studies<sup>61,62</sup>.

All these techniques are associated with damages to chemical bonds between living tissues. Long-term use of X-rays CT scan can also modify genetic properties in a living organism and cause variation leading to cancer<sup>63</sup>. EMR exposure to high-frequency waves like X-rays, Gamma rays, ultraviolet rays, etc. from above-mentioned tech-

niques is a source of serious biological changes and harmful effects in a living organism. Anjum et al<sup>64</sup> reported that exposure to dental X-rays may be associated with an increased risk of thyroid cancer.

### **Urinary, Kidney and Gall Stones Treatment Techniques**

In the current research resulted that EMR-generated extracorporeal shock wave lithotripsy has found many applications in clinical biology. It has replaced the surgical treatment of renal and ureteral stones. Moreover, lithotripter combined with radiological and endo-surgical techniques has been used for the treatment of complex stones in the upper urinary tract, complex kidney stones and gallstones<sup>65</sup>. EMR can also be applied for modern technologies such as electrohydraulic lithotripsy and laser lithotripsy. Laser lithotripsy is a popular method of fragmentation in urinary stones. Laser lithotripsy may also be used for the optimize fragmentation of harder gallstones. This treatment is used for patients having a stone size of 30 mm or less and having symptoms of the disease<sup>66</sup>. Multiple lithotripsy examinations do not show a high risk, however high dose of radiations may also cause damages in our human organs<sup>67</sup>. In the present era, we have to minimize the effects of these radiations by using safety aids like wearing safety dresses and other safety objects. So that, we can save our environment and living beings. Use of these radiations for beneficial purposes can make this world like a paradise. In the next section, we will briefly discuss safety guidelines.

### **Safety Guidelines in Hospital Laboratories**

Briefly refer to the guideline of<sup>68</sup>: all people who work in the areas of radiations exposure must be aware of the EMR associated with health problems.

All those people, who come across with radiations exposure for the treatment of the patients like nurses, doctors, medical staff, etc. must receive training. The main content of the training should be based on radiation safety practices and potential health risks.

Health care professionals must avoid direct contact with radiation equipment sources without wearing gloves and EMR safety shielding dresses.

Do not smoke, drink and eat in the radiation exposure laboratories.

The hospital administration needs special care and knowledge, when the patient is placed too close to the EMR exposure sources.

## **Conclusions**

The health problems due to long-term effects of EMR from telecommunication and biomedical devices have been addressed among the people all over the world. The organizations like World Health Organization (WHO), Federal Communication Commission (FCC), and International Commission on Non-Ionization Radiation Protection (ICNIRP) have recommended some safety guidelines for the protection of all living beings. In the present review, we have examined several research papers, on living beings like rats, cows, plants and humans etc. By experimental strategies it was identified that long-term effects of EMR can possibly cause different diseases in a living being. Even if all those people are attentive to the long-term effects of EMR hazard, they may not have the other option to move away from it, if the cell phone, TV and FM tower are installed near their houses, schools, public transports, and hospitals etc. But the matter is controversial. Meanwhile, EMR has many advantages in biomedical and telecommunication technologies. So, it is impossible for us to stop using these radiations. However, researchers will try to find out the possible solutions, which may be expensive. But we will easily reduce the health risk in all living being like humans, animals, and birds.

### **Conflict of Interests**

The authors declare no conflict of interest

## **References**

- 1) MARKOV M. Benefit and hazard of electromagnetic fields: electromagnetic fields in biology and medicine. CRC Press 2015; 2: 15-27.
- 2) EROGUL O, OZTAS E, YILDIRIM I, KIR T, AYDUR E, KOMESLI G, IRKILATA HC, IRMAK MK, PEKER AF. Effects of electromagnetic radiation from a cellular phone on human sperm motility: an in vitro study. Arch Med Res 2006; 37: 840-843.
- 3) DIEM E, SCHWARZ C, ADLKOEFER F, JAHN O, RÜDIGER H. Non-thermal DNA breakage by mobile-phone radiation (1800MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro. Mutat Res 2005; 583: 178-183.
- 4) HOCKING B, GORDON IR, GRAIN HL, HATFIELD GE. Cancer incidence and mortality and proximity to TV towers. Med J Aust 1996; 165: 601-605.
- 5) AVENDANO C, MATA A, SARMIENTO CA, DONCEL GF. Use of laptop computers connected to internet through Wi-Fi decreases human sperm motility and increases sperm DNA fragmentation. Fertil Steril 2012; 97: 39-45.

- 6) BERNARDI P, CAVAGNARO M, PISA S, PIUZZI E. SAR distribution and temperature increase in an anatomical model of the human eye exposed to the field radiated by the user antenna in a wireless LAN." *IEEE Trans Microw Theory Tech* 1998; 46: 2074-2082.
- 7) AZIZI MS, MOHAMAD NR, SALLEH A, OTHMAN A, ARIS A, HASSAN N. Ultra-Wideband (UWB) antenna radiation on action potentials in human nerve fibers. *J Telecom Elec Comp Eng* 2017; 9: 59-64.
- 8) DASDAG S, YAVUZ I, AKDAG MZ. Effects of radiofrequencies emitted from mobile phones on teeth and oral tissues. *J Int Dent Med Res* 2017; 10: 176-189.
- 9) VAN DEN BERG PM, DE HOOP AT, SEGAL A, PRAAGMAN N. A computational model of the electromagnetic heating of biological tissue with application to hyperthermic cancer therapy. *IEEE Trans Biomed Eng* 1983; 30: 797-805.
- 10) NGUYEN PT, ABBOSH A, CROZIER S. Three-dimensional microwave hyperthermia for breast cancer treatment in a realistic environment using particle swarm optimization. *IEEE Trans Biomed Eng* 2017; 64: 1335-1344.
- 11) CHAUSSY CG, FUCHS GJ. Current state and future developments of noninvasive treatment of human urinary stones with extracorporeal shock wave lithotripsy. *Int J Urol* 1989; 141: 782-789.
- 12) JIMENEZ H, BLACKMAN C, LESSER G, DEBINSKI W, CHAN M, SHARMA S, WATABE K, LO HW, THOMAS A, GODWIN D, BLACKSTOCK W. Use of non-ionizing electromagnetic fields for the treatment of cancer. *Front Biosci (Landmark Ed)* 2018; 23: 284-297.
- 13) MOSTAFA J, ALI Y, ZOHRE R, SAMANEH R. Electromagnetic fields and ultrasound waves in wound treatment: A comparative review of therapeutic outcomes. *Biosci Biotech Res Asia* 2015; 12: 185-195.
- 14) MAHAJAN A, SINGH M. Human health and electromagnetic radiations. *Inter J Eng Innova Tech (IJEIT)* 2012; 1: 95-97.
- 15) AKBABA M, GÖKDENİZ M. Electromagnetic field and possible harmful health effects. *Turk J Occup Envir Med Saf* 2015; 1: 1-12.
- 16) AL-KHLAIWI T, MEO SA. Association of mobile phone radiation with fatigue, headache, dizziness, tension and sleep disturbance in Saudi population. *Saudi Med J* 2004; 25: 732-736.
- 17) ZHANG XY, ZHANG PY. Mobile technology in health information systems—a review. *Eur J Pharm Med Res* 2016; 20: 2140-2143.
- 18) SARFARAZ S, BANO T, FATIMA W, RAMZAN S, SABIR A, IRFAN S. Mobile phones: a threat to health of young generation. *Eur J Pharm Med Res* 2015; 2: 17-22.
- 19) NOOR NA, MOHAMMED HS, AHMED NA, RADWAN NM. Variations in amino acid neurotransmitters in some brain areas of adult and young male albino rats due to exposure to mobile phone radiation. *Eur J Pharm Med Res* 2011; 15: 729-742.
- 20) EZZ HA, KHADRAWY YA, AHMED NA, RADWAN NM, EL BAKRY MM. The effect of pulsed electromagnetic radiation from mobile phone on the levels of monoamine neurotransmitters in four different areas of rat brain. *Eur Rev Med Pharmacol Sci* 2013; 17: 1782-1788.
- 21) FRAGOPOULOU AF, POLYZOS A, PAPADOPOULOU MD, SANSONE A, MANTA AK, BALAFAS E, KOSTOMITSOPOULOS N, SKOURLIAKOU A, CHATGILIALOGLU C, GEORGAKILAS A, STRAVOPODIS DJ. Hippocampal lipidome and transcriptome profile alterations triggered by acute exposure of mice to GSM 1800 MHz mobile phone radiation: an exploratory study. *Brain Behav* 2018; 4: 1001-1018.
- 22) SUHAG AK, LARIK RS, MANGI GZ, KHAN M, ABBASI SK. Impact of excessive mobile phone usage on human. *J Comp Sci Sys Bio* 2016; 9: 173-177.
- 23) MEO SA, AL-DREES AM. Mobile phone related-hazards and subjective hearing and vision symptoms in the Saudi population. *Int J Occup Med Environ Health* 2005; 18: 53-57.
- 24) KHAN M. Adverse effects of excessive mobile phone use. *Int J Occup Med Environ Health* 2008; 21: 289-293.
- 25) KHAN AR, ZAMAN N, MUZAFAR S. Health hazards linked to using mobile cellular phones. *J Infor Com Tech* 2008; 2: 101-108.
- 26) AL-ALAWI AI. WiFi technology: future market challenges and opportunities. *J Comp Sci* 2006; 2: 13-18.
- 27) BANACEUR S, BANASR S, SAKLY M, ABDELMELEK H. Whole body exposure to 2.4 GHz WIFI signals: effects on cognitive impairment in adult triple transgenic mouse models of Alzheimer's disease (3xTg-AD). *Behav Brain Res* 2013; 240: 197-201.
- 28) FAHMY HM, MOHAMMED FF, ABDELRAHMAN RT, ABU EL-ETOH MM, MOHAMMED YA. Effect of radiofrequency waves emitted from conventional WIFI devices on some oxidative stress parameters in rat kidney. *J Drug Metab Toxicol* 2015; 6: 2-6.
- 29) VARGHESE R, MAJUMDAR A, KUMAR G, SHUKLA A. Rats exposed to 2.45 GHz of non-ionizing radiation exhibit behavioral changes with increased brain expression of apoptotic caspase 3. *Pathophysiology* 2018; 25: 19-30.
- 30) SONG K, MILNER JA. The influence of heating on the anticancer properties of garlic. *Int J Nutr* 2001; 131: 1054-1057.
- 31) KUMAR N, KUMAR G. Biological effects of cell tower radiation on human body. *ISMOT, Delhi, India* (2009); 9 678-679.
- 32) HOCKING B, GORDON IR, GRAIN HL, HATFIELD GE. Cancer incidence and mortality and proximity to TV towers. *Med J Aust* 1996; 165: 601-605.
- 33) COOPER D, HEMMINGS K, SAUNDERS P, CHERRY N, DOLK H. Re: cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; II. All high-power transmitters. *Am J Epidemiol* 2001; 153: 202-205.
- 34) SUBHAN F, KHAN A, AHMED S, MALIK MN, BAKSHAH ST, TAHIR S. Mobile antenna's and its impact on human health. *J Med Imaging Health Inform* 2018; 8: 1266-1273.
- 35) DIANAH AR, HAZMIN SN, UMAR R, JAAFAR H, KAMARUDIN MK, DAGANG AN, SYAFIQAH HN. Spatial model of public non-ionizing radiation exposure on selected base station around Kuala Nerus. *J Fundam Appl Sci* 2018; 15: 23-54.
- 36) GHOSH PM, PAUL LC, ABADIN AZ. A review of the potential health hazards of radio frequency radiation from cellular base 2 station 3. *Tech* 2017; 5: 6-16.

- 37) TAYE RR, DEKA MK, RAHMAN A, BATHARI M. Effect of electromagnetic radiation of cell phone tower on foraging behaviour of Asiatic honey bee, *Apis cerana F.* (Hymenoptera: Apidae). *J Entomol Zool Stud* 2017; 5: 1527-1529.
- 38) NEUMANN P, CARRECK NL. Honey bee colony losses. *J Apic Res* 2010; 49: 1-6.
- 39) DONGRE S, VERMA R. Effect of cell phone radiation on Gauriya Sparrows passer domesticus. *Shodh, Sami aur Mulyan* 2009; 2: 51-52.
- 40) BURCHARD JF, NGUYEN DH, RICHARD L, BLOCK E. Biological effects of electric and magnetic fields on productivity of dairy cows. *J Dairy Sci* 1996; 79: 1549-1554.
- 41) BALMORI, A. The incidence of electromagnetic pollution on wild mammals: a new "poison" with a slow effect on nature? *Environ Int* 2010; 30: 90-97.
- 42) BALMORI A. The incidence of electromagnetic pollution on the amphibian decline: is this an important piece of the puzzle? *Toxicol Environ Chem* 2006; 88: 287-299.
- 43) CECCONI S, GUALTIERI G, DI BARTOLOMEO A, TROIANI G, CIFONE MG, CANIPARI R. Evaluation of the effects of extremely low frequency electromagnetic fields on mammalian follicle development. *Hum Reprod* 2000; 15: 2319-2325.
- 44) ALATTAR EM, ELWASIFE KY, RADWAN ES, ELRIFI YA. Response of corn (*zea mays*), Basil (*Ocimum Basilicum*) and eggplant (*solanum melongena*) seedlings to wi-fi radiation. *Rom J Biophys* 2017; 27: 137-150.
- 45) SIVANI S, SUDARSANAM D. Impacts of radio-frequency electromagnetic field (RF-EMF) from cell phone towers and wireless devices on biosystem and ecosystem-a review. *J Int Med Res* 2012; 4: 202-216.
- 46) EDITYA AS, PRATOMO I, KUSRAHARDJO G. Effect of electromagnetic radiation on rice plant growth in microgravity environment. *Wireless and Telematics (ICWT), 2015 1st International Conference on. IEEE, 2015; 1-4.*
- 47) PIETRUSZEWSKI S, MUSZYNSKI S. Electromagnetic fields and electromagnetic radiation as non-invasive external stimulants for seeds (selected methods and responses). *Int Agrophys* 2007; 21.1: 95-100.
- 48) HAUMANN TH, MÜNZENBERG U, MAES WO, SIERCK PE. HF-Radiation levels of GSM cellular phone towers in residential areas. *2nd International Workshop on Biological effects of EMFS* 2002; 327-333.
- 49) ALBERG PA, VAN DEVENTER TE, REPACHOLI MH. Workgroup report: base stations and wireless networks-radiofrequency (RF) exposures and health consequences. *Environ Health Perspect* 2006; 115: 416-424.
- 50) LEVITT BB, LAI H. Biological effects from exposure to electromagnetic radiation emitted by cell tower base stations and other antenna arrays. *Environ Rev* 2010; 18: 369-395.
- 51) LI XY, LIU L, XIE XM, ZHOU C. The role of raltrexed/cisplatin with concurrent radiation therapy in treating advanced cervical cancer. *Eur J Pharm Med Res* 2014; 18: 3491-3496.
- 52) BASKAR R, LEE KA, YEO R, YEOH KW. Cancer and radiation therapy: current advances and future directions. *Int J Med Sci* 2012; 9: 193-199.
- 53) REAGAN-SHAW S, MUKHTAR H, AHMAD N. Resveratrol imparts photoprotection of normal cells and enhances the efficacy of radiation therapy in cancer cells. *Photochem Photobiol* 2008; 84: 415-421.
- 54) MARKS MP, NAPEL S, JORDAN JE, ENZMANN DR. Diagnosis of carotid artery disease: preliminary experience with maximum-intensity-projection spiral CT angiography. *Am J Roentgenol* 1993; 160: 1267-1271.
- 55) PETERS III WA, LIU PY, BARRETT RJ, STOCK RJ, MONK BJ, BEREK JS, SOUHAMI L, GRIGSBY P, GORDON JR W, ALBERTS DS. Concurrent chemotherapy and pelvic radiation therapy compared with pelvic radiation therapy alone as adjuvant therapy after radical surgery in high-risk early-stage cancer of the cervix. *Obstet Gynecol Surv* 2000; 55: 491-492.
- 56) WERNICK MN, WIRJADI O, CHAPMAN D, ZHONG Z, GALATSANOS NP, YANG Y, BRANKOV JG, OLTULU O, ANASTASIO MA, MUEHLEMAN C. Multiple-image radiography. *Phys Med Biol* 2003; 48: 3875-3890.
- 57) JUZENAS P, CHEN W, SUN YP, COELHO MA, GENERALOV R, GENERALOVA N, CHRISTENSEN IL. Quantum dots and nanoparticles for photodynamic and radiation therapies of cancer. *Adv Drug Deliv Rev* 2008; 60: 1600-1614.
- 58) KALENDER WA. X-ray computed tomography. *Phys Med Biol* 2006; 51: 69-74.
- 59) MOMOSE A, TAKEDA T, ITAI Y, HIRANO K. Phase-contrast X-ray computed tomography for observing biological soft tissues. *Nat Med* 1996; 2: 473-475.
- 60) BETZ O, WEGST U, WEIDE D, HEETHOFF M, HELFEN L, LEE WK, CLOETENS P. Imaging applications of synchrotron X-ray phase-contrast microtomography in biological morphology and biomaterials science. I. General aspects of the technique and its advantages in the analysis of millimeter-sized arthropod structure. *J Microsc* 2007; 227: 51-71.
- 61) TOFTS P. *Quantitative MRI of the brain: measuring changes caused by disease.* John Wiley & Sons 2005.
- 62) KRUSE SA, ROSE GH, GLASER KJ, MANDUCA A, FELMLEE JP, JACK JR CR, EHMANN RL. Magnetic resonance elastography of the brain. *Neuroimage* 2008; 39: 231-237.
- 63) SMITH-BINDMAN R, LIPSON J, MARCUS R, KIM KP, MAHESH M, GOULD R, DE GONZÁLEZ AB, MIGLIORETTI DL. Radiation dose associated with common computed tomography examinations and the associated lifetime attributable risk of cancer. *Arch Gen Intern Med* 2009; 169: 2078-2086.
- 64) MEMON A, GODWARD S, WILLIAMS D, SIDDIQUE I, AL-SALEH K. Dental x-rays and the risk of thyroid cancer: a case-control study. *Acta Oncol* 2010; 49: 447-453.
- 65) CHAUSSY CG, FUCHS GJ. Current state and future developments of noninvasive treatment of human urinary stones with extracorporeal shock wave lithotripsy. *Int J Urol* 1989; 141: 782-789.
- 66) JENKINS AD, GILLENWATER JY. Extracorporeal shock wave lithotripsy in the prone position: treatment of stones in the distal ureter or anomalous kidney. *Int J Urol* 1988; 139: 911-915.
- 67) DRETHER SP. Laser lithotripsy: a review of 20 years of research and clinical applications. *Lasers Surg Med* 1988; 8: 341-356.
- 68) MILLER MJ, ASTLES R, BASZLER T, CHAPIN K, CAREY R, GARCIA L, GRAY L, LARONE D, PENTELLA M, SHAPIRO DS, WEIRICH E. Guidelines for safe work practices in human and animal medical diagnostic laboratories. *MMWR Suppl* 2012; 61: 1-102.